$L \stackrel{i}{I} N X$

Safety data sheet According to UK REACH (S.I. 2019/758)

Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Linx Black Food-Packaging Ink 2250

Other means of identification:

Not relevant

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Printing ink

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Linx Printing Technologies Ltd

Linx House, 8 Stocks Bridge Way, Compass Point Business Park

PE27 5JL St Ives - Cambridgeshire - UK

Phone: +44 (0) 1480 302100

sds@Linx.co.uk www.linxglobal.com

1.4 Emergency telephone number: 24HR: (+1)-352-323-3500

USA: 1-800-535-5053

UK NPIS For Healthcare Professionals Only: 0344 892 0111

Supplier:

ITW Marking and Coding

St. Charles, MO 63304-5685 USA

800-526-2531 / 636-300-2000

1 Research Park Drive

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GB CLP Regulation (UK S.I. 2019/720 and UK S.I. 2020/1567):

Classification of this product has been carried out in accordance with GB CLP Regulation (UK S.I. 2019/720 and UK S.I. 2020/1567).

Eye Dam. 1: Serious eye damage, Category 1, H318

Flam. Liq. 2: Flammable liquids, Category 2, H225

2.2 Label elements:

GB CLP Regulation (UK S.I. 2019/720 and UK S.I. 2020/1567):

Danger





Hazard statements:

Eye Dam. 1: H318 - Causes serious eye damage.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC) to extinguish.

P501: Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.

Substances that contribute to the classification

propan-1-ol

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

$L \stackrel{i}{I} N X$

Safety data sheet According to UK REACH (S.I. 2019/758)

Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

| | Identification Chemical name/Classification | | Concentration |
|------|---|---|-----------------|
| CAS: | 64-17-5 | ethanol Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger | 80 - <99.9 % |
| CAS: | 71-23-8 | propan-1-ol Eye Dam. 1: H318; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger | 5 - <10 % |
| CAS: | 63148-65-2 | Poly(vinyl butyral) resin Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning | 1 - <5 % |
| CAS: | 141-78-6 | Ethyl acetate Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger | 1 - <5 % |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|-------------------------|-----------------------------------|
| ethanol CAS: 64-17-5 | % (w/w) >=50: Eye Irrit. 2 - H319 |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 5: FIREFIGHTING MEASURES (continued)

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in The Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016 and with the minimum requirements for protecting the security and health of workers under the selection criteria of The Dangerous Substances and Explosive Atmospheres Regulations 2002, 2002 No. 2776. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification | Occupational exposure limits | | mits |
|----------------|------------------------------|----------|------------------------|
| ethanol | WEL (8h) | 1000 ppm | 1920 mg/m ³ |
| CAS: 64-17-5 | WEL (15 min) | | |
| propan-1-ol | WEL (8h) | 200 ppm | 500 mg/m ³ |
| CAS: 71-23-8 | WEL (15 min) | 250 ppm | 625 mg/m ³ |
| Ethyl acetate | WEL (8h) | 200 ppm | 734 mg/m ³ |
| CAS: 141-78-6 | WEL (15 min) | 400 ppm | 1468 mg/m ³ |

DNEL (Workers):

| | | Short e | xposure | Long e | xposure |
|----------------|------------|------------------------|------------------------|-----------------------|-----------------------|
| Identification | | Systemic | Local | Systemic | Local |
| ethanol | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 64-17-5 | Dermal | Not relevant | Not relevant | 343 mg/kg | Not relevant |
| EC: 200-578-6 | Inhalation | Not relevant | Not relevant | 950 mg/m ³ | Not relevant |
| propan-1-ol | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 71-23-8 | Dermal | Not relevant | Not relevant | 136 mg/kg | Not relevant |
| EC: 200-746-9 | Inhalation | 1723 mg/m ³ | Not relevant | 268 mg/m ³ | Not relevant |
| Ethyl acetate | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 141-78-6 | Dermal | Not relevant | Not relevant | 63 mg/kg | Not relevant |
| EC: 205-500-4 | Inhalation | 1468 mg/m ³ | 1468 mg/m ³ | 734 mg/m ³ | 734 mg/m ³ |

DNEL (General population):

| | | Short e | xposure | Long e | xposure |
|----------------|------------|------------------------|-----------------------|-----------------------|-----------------------|
| Identification | | Systemic | Local | Systemic | Local |
| ethanol | Oral | Not relevant | Not relevant | 87 mg/kg | Not relevant |
| CAS: 64-17-5 | Dermal | Not relevant | Not relevant | 206 mg/kg | Not relevant |
| EC: 200-578-6 | Inhalation | Not relevant | Not relevant | 114 mg/m³ | Not relevant |
| propan-1-ol | Oral | Not relevant | Not relevant | 61 mg/kg | Not relevant |
| CAS: 71-23-8 | Dermal | Not relevant | Not relevant | 81 mg/kg | Not relevant |
| EC: 200-746-9 | Inhalation | 1036 mg/m ³ | Not relevant | 80 mg/m ³ | Not relevant |
| Ethyl acetate | Oral | Not relevant | Not relevant | 4.5 mg/kg | Not relevant |
| CAS: 141-78-6 | Dermal | Not relevant | Not relevant | 37 mg/kg | Not relevant |
| EC: 205-500-4 | Inhalation | 734 mg/m ³ | 734 mg/m ³ | 367 mg/m ³ | 367 mg/m ³ |



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification | | | | |
|----------------|--------------|--------------|-------------------------|-------------|
| ethanol | STP | 580 mg/L | Fresh water | 0.96 mg/L |
| CAS: 64-17-5 | Soil | 0.63 mg/kg | Marine water | 0.79 mg/L |
| EC: 200-578-6 | Intermittent | 2.75 mg/L | Sediment (Fresh water) | 3.6 mg/kg |
| | Oral | 0.38 g/kg | Sediment (Marine water) | 2.9 mg/kg |
| propan-1-ol | STP | 96 mg/L | Fresh water | 6.83 mg/L |
| CAS: 71-23-8 | Soil | 1.49 mg/kg | Marine water | 0.683 mg/L |
| EC: 200-746-9 | Intermittent | 10 mg/L | Sediment (Fresh water) | 27.5 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 2.75 mg/kg |
| Ethyl acetate | STP | 650 mg/L | Fresh water | 0.24 mg/L |
| CAS: 141-78-6 | Soil | 0.148 mg/kg | Marine water | 0.024 mg/L |
| EC: 205-500-4 | Intermittent | 1.65 mg/L | Sediment (Fresh water) | 1.15 mg/kg |
| | Oral | 0.2 g/kg | Sediment (Marine water) | 0.115 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>> or <<CE marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram | PPE | Remarks |
|---------------------------|---------------------------------------|---|
| Mandatory hand protection | Protective gloves against minor risks | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram | PPE | Remarks |
|---------------------------|---|--|
| Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Remarks |
|------------------------------------|---|---|
| Mandatory complete body protection | Antistatic and fireproof protective clothing | Limited protection against flames. |
| Mandatory foot protection | Safety footwear with antistatic and heat resistant properties | Replace boots at any sign of deterioration. |

F.- Additional emergency measures



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Emergency measure | Standards | Emergency measure | Standards |
|-------------------|---|-------------------|--|
| * | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 | - | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |
| Emergency shower | | Eyewash stations | |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Liquid

Fluid

Black

Odour: Characteristic
Odour threshold: Not relevant *

Volatility:

Boiling point at atmospheric pressure: 79 °C Vapour pressure at 25 °C: 8528 Pa

Vapour pressure at 50 °C: 30139.46 Pa (30.14 kPa)

Evaporation rate at 25 °C: >1

Product description:

Density at 25 °C: 815.3 kg/m³ 0.745 - 0.885 Relative density at 25 °C: Dynamic viscosity at 25 °C: 2 - 5 cP Kinematic viscosity at 25 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Concentration: Not relevant * pH: Not relevant * Vapour density at 25 °C: 2 kg/m³ Partition coefficient n-octanol/water 25 °C: ca. -0.35 Solubility in water at 25 °C: Not relevant *

Solubility properties: Slightly soluble in cold water

Decomposition temperature: Not relevant *
Melting point/freezing point: -114 °C

Flammability:

Flash Point: 19 °C

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant *

>230 °C

3.4 % Volume

Upper flammability limit:

19 % Volume

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

*Not relevant due to the nature of the product, not providing information property of its hazards.



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant *

Not relevant *

components:

Шпаріе

Other safety characteristics:

Surface tension at 25 °C:

Refraction index:

Not relevant *

Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Not applicable | Not applicable | Risk of combustion | Avoid direct impact | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

LiNX

Safety data sheet According to UK REACH (S.I. 2019/758)

Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: propan-2-ol (3); ethanol (1); acrylic acid (3); 2-phenylpropene (2B)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

| Identification | | | Acute toxicity | |
|----------------|--|-----------------|------------------|--------|
| Ethyl acetate | | LD50 oral | 4100 mg/kg | Rat |
| CAS: 141-78-6 | | LD50 dermal | 20000 mg/kg | Rabbit |
| | | LC50 inhalation | | |
| ethanol | | LD50 oral | 6200 mg/kg | Rat |
| CAS: 64-17-5 | | LD50 dermal | 20000 mg/kg | Rabbit |
| | | LC50 inhalation | 124.7 mg/L (4 h) | Rat |

Acute Toxicity Estimate (ATE mix):

| | Ingredient(s) of unknown toxicity | |
|---|-------------------------------------|----------------|
| Oral 207620.38 mg/kg (Calculation method) | | Non-applicable |
| Dermal | >5000 mg/kg (Calculation method) | Non-applicable |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

$L \stackrel{i}{I} N X$

Safety data sheet According to UK REACH (S.I. 2019/758)

Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | | Concentration | Species | Genus |
|----------------|------|-------------------|-------------------------|------------|
| ethanol | LC50 | 11000 mg/L (96 h) | Alburnus alburnus | Fish |
| CAS: 64-17-5 | EC50 | 9268 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 1450 mg/L (192 h) | Microcystis aeruginosa | Algae |
| Ethyl acetate | LC50 | 230 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 141-78-6 | EC50 | 717 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 3300 mg/L (48 h) | Scenedesmus subspicatus | Algae |

Chronic toxicity:

| Identification | | Concentration | Species | Genus |
|----------------|------|---------------|---------------------|------------|
| ethanol | | 250 mg/L | Danio rerio | Fish |
| CAS: 64-17-5 | | 2 mg/L | Ceriodaphnia dubia | Crustacean |
| Ethyl acetate | | 9.65 mg/L | Pimephales promelas | Fish |
| CAS: 141-78-6 | NOEC | 2.4 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | | Biodegradability | |
|----------------|---------------|--------------|------------------|----------|
| ethanol | BOD5 | Not relevant | Concentration | 100 mg/L |
| CAS: 64-17-5 | COD | Not relevant | Period | 14 days |
| | BOD5/COD | Not relevant | % Biodegradable | 89 % |
| Ethyl acetate | BOD5 | 1.36 g O2/g | Concentration | 100 mg/L |
| CAS: 141-78-6 | COD | 1.69 g O2/g | Period | 14 days |
| | BOD5/COD | 0.8 | % Biodegradable | 83 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential | |
|----------------|---------------------------|----------|
| ethanol | BCF | 3 |
| CAS: 64-17-5 | Pow Log | -0.31 |
| | Potential | Low |
| Ethyl acetate | BCF | 30 |
| CAS: 141-78-6 | Pow Log | 0.73 |
| | Potential | Moderate |

12.4 Mobility in soil:

| Identification | Absorp | Absorption/desorption | | Volatility | |
|----------------|-----------------|-----------------------|------------|-------------------|--|
| ethanol | Koc | 1 | Henry | 4.61E-1 Pa·m³/mol | |
| CAS: 64-17-5 | Conclusion | Very High | Dry soil | Yes | |
| | Surface tension | 2.339E-2 N/m (25 °C) | Moist soil | Yes | |
| propan-1-ol | Koc | Not relevant | Henry | Not relevant | |
| CAS: 71-23-8 | Conclusion | Not relevant | Dry soil | Not relevant | |
| | Surface tension | 2.474E-2 N/m (25 °C) | Moist soil | Not relevant | |
| Ethyl acetate | Koc | 59 | Henry | 13.58 Pa·m³/mol | |
| CAS: 141-78-6 | Conclusion | Very High | Dry soil | Yes | |
| | Surface tension | 2.324E-2 N/m (25 °C) | Moist soil | Yes | |

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

| Code | Description | Waste class |
|---|-------------|-------------|
| 08 03 12* waste ink containing hazardous substances | | Hazardous |

Type of waste:

HP3 Flammable, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste (England & Wales) Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste (England & Wales) Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



| 14.1 | UN number: | UN1210 |
|------|--------------------------|--------------|
| 14.2 | UN proper shipping name: | PRINTING INK |

14.3 Transport hazard class(es): 3
 Labels: 3

 14.4 Packing group: II
 14.5 Environmental hazards: No
 14.6 Special precautions for user

Tunnel restriction code: D/E

Physico-Chemical properties: see section 9

Limited quantities: 5 L

14.7 Transport in bulk according Not relevant to Annex II of Marpol and

the IBC Code:

Transport of dangerous goods by sea:

With regard to IMDG 41-22:



| 14.1 | UN number: | UN1210 |
|------|--------------------------|--------------|
| 14.2 | UN proper shipping name: | PRINTING INK |

 14.3
 Transport hazard class(es):
 3

 Labels:
 3

 14.4
 Packing group:
 II

 14.5
 Marine pollutant:
 No

14.6 Special precautions for user

the IBC Code:

Special regulations: 367, 163

EmS Codes: F-E, S-D

Physico-Chemical properties: see section 9

Limited quantities: 5 L

Segregation group: Not relevant

14.7 Transport in bulk according to Annex II of Marpol and

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:

LiNX

Safety data sheet According to UK REACH (S.I. 2019/758)

Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number: UN1210 **14.2 UN proper shipping name:** PRINTING INK

14.2 ON proper snipping name: PRINTING IN **14.3 Transport hazard class(es):** 3

Labels: 3
14.4 Packing group: II
14.5 Environmental hazards: No

14.6 Special precautions for userPhysico-Chemical properties: see section 9

14.7 Transport in bulk according Not relevant

to Annex II of Marpol and the IBC Code:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Not relevant
- Substances listed in UK REACH Authorisation List (Annex 14): Not relevant

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Contains Octamethylcyclotetrasiloxane. 1. | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. | 2. | For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H225: Highly flammable liquid and vapour.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

GB CLP Regulation (UK S.I. 2019/720 and UK S.I. 2020/1567):

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.



Linx Black Food-Packaging Ink 2250

Date of compilation: 05/09/2019 Revised: 16/08/2024 Version: 13 (Replaced 12)

SECTION 16: OTHER INFORMATION (continued)

Classification procedure:

Eye Dam. 1: Calculation method

Flam. Liq. 2: Calculation method (2.6.4.3)

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.